



2024



FEBRUARY

established in 1984



新年快乐

YEAR OF THE DRAGON



HAPPY CHINESE
NEW YEAR

CONTENTS

CATEGORIES	PAGES
INTRODUCTION	3
HISTORY	4
RACQUET	6
RACQUET ACCESSORIES	77
STRINGS	78
GRIPS	88
OTHERS	91
STRINGING MACHINE	92
SHUTTLECOCK	94
APPAREL	108
TOURNAMENT TEE	109
TRAINING TEE	121
JUNIOR	131
COLLAR	135
BOTTOM	139
LEGGING	148
TRACK SUIT	150
HOODIES & JACKET	151
FOOTWEAR	154
SHOES	155
SOCKS & SOLE	164
BAG	169
ACCESSORIES	188
SPONSORSHIP	203

OUR STORY

② FOUNDED IN THE 80'S

Started as Shuttlecocks manufacturer in China by the founder, Mr. Chong Lee Kian.

② 90'S

Like many other business operators, Protech experienced and challenged by the ups and downs.

② 2004

Through hard work, dedication, and strive that Protech took a bold step to expand her offerings from Shuttlecocks to other Badminton associated products such as racquets, shoes, apparels and accessories.

② 2014-2018

Protech becomes the First Malaysian Company to Sponsor a Major International Event by becoming the Equipment Sponsor of Macau Open Badminton Tournament BWF Super Series 300.

② TODAY

We are proud to have made headway in the international stage and have succeeded as a world class maker and provider. Today, we are one of the biggest Malaysian household brands that has been approved and endorsed by Badminton World Federation for meeting international tournament standards.

TRADEMARK:



CLASSIC



PERFORMANCE



OUR VISION

CORPORATE MISSION

- We believe in connecting and championing people through Badminton.
- We believe in raising, nurturing and developing young Badminton talents.
- We believe in improving health and wellness through Badminton.
- We believe in contributing as a global citizen by advocating and promoting Go-green in our products.
- We believe in giving back and rebuilding our society through works of compassion.

CORPORATE VISION

- To nurture, innovate and transform the way we engage with people, technology and wellbeing of sport lovers.
- To formulate, innovate and expand features of our products.

SOCIAL CONTRIBUTION

Collaborate with Non Government Organisations (NGOs) in fulfilling social responsibilities.

RACQUET

01

 **PROTECH** X₂

**CLASSIC
WOVEN
V2**



RACQUET
PROFESSIONAL



CLASSIC

WOVEN V2

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : AERO FRAME
Length : 675 MM
Shaft Diameter : 7.0 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : EXTRA STIFF
WEIGHT : 3U [86G +/- 2G]
BALANCE POINT : 3U [295MM +/- 5MM]
MAX TENSION : 40 LBS





LEGACY
319 VH

A handwritten signature in black ink, which appears to be 'Vivian Hoo'.

VIVIAN HOO COMMOWEALTH GAME CHAMPION
BEST WORLD RANKING: No. 9



LEGACY

319VH

Construction : 40T JAPANESE TORAY HM GRAPHITE
NANOMETRIC
ULTRA POLYETHYLENE FIBRE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [83G +/- 2G]
3U [86G +/- 2G]
BALANCE POINT : 4U [297MM +/- 5MM]
3U [305MM +/- 5MM]
MAX TENSION : 38 LBS

 AERO-FORCE
FRAME

40T JAPANESE TORAY
HM GRAPHITE

 NANO EPOTEC
RESIN COMPOSITE

 ULTRA
PEF

6.6 EXTRA SLIM
SHAFT

T-CURATE

NEW GROMMET PATTERN

AC-ZONE



 **PROTECH®**

DOUBLE ATTACK



VIVIAN HOO
INTERNATIONAL PLAYER

LEGACY
LX-130s

LEGACY LX-130s

RACQUET PROFESSIONAL



LEGACY LX-1305

Construction : 40T JAPANESE TORAY HM GRAPHITE
NANOMETRIC
ULTRA POLYETHYLENE FIBRE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [83G +/- 2G]
3U [86G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
3U [300MM +/- 5MM]
MAX TENSION : 35 LBS

 AERO-FORCE
FRAME

40T JAPANESE TORAY
HM GRAPHITE

NANOMETRIC

 ULTRA
PEF

6.6 EXTRA SLIM
SHAFT

T-CURRATE

NEW GROMMET PATTERN

AC-ZONE

LEGACY



II

Construction : 30T JAPANESE TORAY
HIGH MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [295 MM +/- 5MM]
MAX TENSION : 35 LBS

AERO-FORCE
FRAME

6.6 EXTRA SLIM
SHAFT

NANOMETRIC

T-CURVATE

III

Construction : 30T JAPANESE TORAY
HIGH MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 3U [85G +/- 2G]
BALANCE POINT : 3U [290MM +/- 5MM]
MAX TENSION : 35 LBS

IX

Construction : 30T JAPANESE TORAY
HIGH MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES


FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 35 LBS

NEW GROMMET PATTERN

AC-ZONE

30T JAPANESE TORAY
HM GRAPHITE

PROTECH
PERFORMANCE



BATTLEAX

RACQUET PROFESSIONAL



BATTLEAX S-PRO

Construction : 40T JAPANESE TORAY HM GRAPHITE
PROACTIVE FOAM
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [84G +/- 2G]
3U [87G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
3U [305MM +/- 5MM]
MAX TENSION : 38 LBS

40T JAPANESE TORAY
HM GRAPHITE

NEW GROMMET PATTERN

PROACTIVE FOAM
CONSTRUCTION

T-CURVATE

AERO-FORCE
FRAME

NANO-TAPERED SHAFT

6.7 EXTRA SLIM
SHAFT

RACQUET PROFESSIONAL



BATTLEAX X-PRO

Construction : 40T JAPANESE TORAY HM GRAPHITE
PROACTIVE FOAM
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [84G +/- 2G]
BALANCE POINT : 4U [293MM +/- 5MM]
MAX TENSION : 38 LBS

40T JAPANESE TORAY
HM GRAPHITE

NEW GROMMET PATTERN

PROACTIVE FOAM
CONSTRUCTION

T-CURRATE

AERO-FORCE
FRAME

NANO-TAPERED SHAFT

6.7 EXTRA SLIM
SHAFT

PROTECH
PERFORMANCE

ULTRA WOVEN

AEROFORCE

MAVERICK ALPHA

FEEL
THE
POWER

MAVERICK ALPHA

RACQUET PROFESSIONAL

MAVERICK ALPHA

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA POLYETHYLENE FIBRE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [84G +/- 2G]
3U [87G +/- 2G]
BALANCE POINT : 4U [300MM +/- 5MM]
3U [303MM +/- 5MM]
MAX TENSION : 35 LBS



 AERO-FORCE
FRAME

40T JAPANESE TORAY
HM GRAPHITE

BACKHAND BOOST CAP

T-CURRATE

6.7 EXTRA SLIM
SHAFT

 ULTRA
PEF

SNAPBACK HEAD ZONE

NEW GROMMET PATTERN

AC-ZONE

MAVERICK



IOTA

Construction : 30T JAPAN TORAY GRAPHITE WITH ULTRA CARBON
 Frame : AERO-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [290MM +/- 5MM]
 MAX TENSION : 38 LBS

ZETA

Construction : 30T JAPAN TORAY GRAPHITE WITH ULTRA CARBON
 Frame : AERO-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 38 LBS

AERO-EDGE FRAME

6.8 POWER SLIM SHAFT


ULTRA CARBON

T-CURATE

NEW GROMMET PATTERN

AC-ZONE

30T JAPANESE TORAY HM GRAPHITE



ASTION

ACTION

ATTACK

ACTIVE

RACQUET PROFESSIONAL



ASTON ATTACK

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : AERO-DYNAMIC FRAME
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 3U [86G +/- 2G]
BALANCE POINT : 3U [297MM +/- 5MM]
MAX TENSION : 36 LBS

40T JAPANESE TORAY
HM GRAPHITE

NEW GROMMET PATTERN

AIR STREAM SYSTEM

ULTRA WOVEN
TECHNOLOGY

AERO-DYNAMIC
FRAME

6.8 POWER SLIM
SHAFT

WING BEAM STABILIZER

NANO-TAPERED SHAFT



RACQUET PROFESSIONAL



ASTON ACTION

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : AERO-DYNAMIC FRAME
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [84G +/- 2G]
BALANCE POINT : 4U [297MM +/- 5MM]
MAX TENSION : 36 LBS

40T JAPANESE TORAY
HM GRAPHITE

NEW GROMMET SYSTEM

AIR STREAM SYSTEM

ULTRA WOVEN
TECHNOLOGY

AERO-DYNAMIC
FRAME

6.8 POWER SLIM
SHAFT

WING BEAM STABILIZER

NANO-TAPERED SHAFT

RACQUET PROFESSIONAL



ASTON ACTIVE

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : AERO-DYNAMIC FRAME
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [300MM +/- 5MM]
MAX TENSION : 36 LBS

40T JAPANESE TORAY
HM GRAPHITE

NEW GROMMET PATTERN

AIR STREAM SYSTEM

ULTRA WOVEN
TECHNOLOGY

AERO-DYNAMIC
FRAME

6.8 POWER SLIM
SHAFT

WING BEAM STABILIZER

NANO-TAPERED SHAFT

ROSLIN HASHIM
MALAYSIA



Roslin Hashim

ROSLIN HASHIM
FORMER WORLD NO.1

THE AGE OF
**WOVEN
APACHE 7**



RACQUET PROFESSIONAL



WOVEN APACHE 7

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : DYNAMIC FRAME
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 3U [85G +/- 2G]
BALANCE POINT : 3U [295MM +/- 5MM]
MAX TENSION : 35 LBS

Roslin Hashim

ROSLIN HASHIM EDITION

 DYNAMIC
FRAME

AIR MESH

 ULTRA WOVEN
TECHNOLOGY

6.8 POWER SLIM
SHAFT

40T JAPANESE TORAY
HM GRAPHITE

T-ANCHOR

RACQUET PROFESSIONAL



WOVEN APACHE 7

Construction : 40T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : DYNAMIC FRAME
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 3U [85G +/- 2G]
BALANCE POINT : 3U [295MM +/- 5MM]
MAX TENSION : 35 LBS

ROSLIN HASHIM EDITION

 DYNAMIC
FRAME

AIR MESH

 ULTRA WOVEN
TECHNOLOGY

6.8 POWER SLIM
SHAFT

40T JAPANESE TORAY
HM GRAPHITE

T-ANCHOR

PROTECH®

ISOMETRIC HEAD

PREDATOR WHITE

PREDATOR WHITE 9

**PREPARED
TO
HUNT**



PERFORMANCE

PREDATOR WHITE 9

RACQUET PROFESSIONAL



PREDATOR WHITE 8

Construction : 30T JAPANESE TORAY HM GRAPHITE
ULTRA WOVEN
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 4U [83G +/- 2G]
3U [86G +/- 2G]
BALANCE POINT : 4U [295MM +/- 3MM]
3U [295MM +/- 3MM]
MAX TENSION : 35 LBS

NANOMETRIC

30T JAPANESE TORAY
HM GRAPHITE

6.7 EXTRA SLIM
SHAFT

ULTRA
PEF

AERO-FORCE
FRAME

T-CURVATE

SIXE BEAM



RAZOR DUO FRAME



RAZOR



D-11

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295 MM +/- 5MM]
 MAX TENSION : 35 LBS

D-33

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295 MM +/- 5MM]
 MAX TENSION : 35 LBS

D-55

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [295 MM +/- 5MM]
 MAX TENSION : 35 LBS

30T JAPANESE TORAY HM GRAPHITE

AC-ZONE

DUO FRAME (BDX+AERO)

T-CURATE

6.6 EXTRA SLIM SHAFT

RAZOR



D-77

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295 MM +/- 5MM]
 MAX TENSION : 35 LBS

30T JAPANESE TORAY HM GRAPHITE

AC-ZONE

DUO FRAME (BOX+AERO)

T-CURATE


6.6 EXTRA SLIM SHAFT



D-99

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295 MM +/- 5MM]
 MAX TENSION : 35 LBS



PROTECH^{XP}

MAGIC

MAGIC



SHENLONG

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DOUBLE-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 38 LBS



30T JAPANESE TORAY HM GRAPHITE

PHOENIX

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DOUBLE-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 38 LBS

AC-ZONE

T-CURVATE

PEGASUS

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DOUBLE-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [77G +/- 2G]
 BALANCE POINT : 5U [297MM +/- 5MM]
 MAX TENSION : 38 LBS



6.6 EXTRA SLIM SHAFT

MAGIC



UNICORN

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DOUBLE-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 36 LBS



AC-ZONE



30T JAPANESE TORAY HM GRAPHITE

T-CURATE

6.8 POWER SLIM SHAFT



CYCLOP

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DOUBLE-EDGE FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 3U [86G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 36 LBS

MATRIX



NANO W

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [83G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 36 LBS



AERO-FORCE
FRAME

AC-ZONE

NANOMETRIC

30T JAPANESE TORAY
HM GRAPHITE

T-CURATE

6.5 ULTRA SLIM
SHAFT



NANO X

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 36 LBS

MATRIX



NANO Y

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [300MM +/- 5MM]
 MAX TENSION : 36 LBS



AERO-FORCE
FRAME

AC-ZONE

NANOMETRIC

30T JAPANESE TORAY
HM GRAPHITE

T-CURRATE

6.5 ULTRA SLIM
SHAFT



NANO Z

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 3U [86G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 36 LBS

SAIGA



RX76

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [83G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 36 LBS

RX77

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 36 LBS

RX78

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [86G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 36 LBS

6.8 POWER SLIM SHAFT

AC-ZONE

AERO FRAME

30T JAPANESE TORAY HM GRAPHITE

T-CURATE

WYVERN



ACE 7

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DYNAMIC FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [300 MM +/- 5MM]
 MAX TENSION : 36 LBS

ACE 8

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DYNAMIC FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [297MM +/- 5MM]
 MAX TENSION : 36 LBS

ACE 9

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DYNAMIC FRAME
 Length : 675 MM
 Shaft Diameter : 6.8 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [86G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 36 LBS

6.8 POWER SLIM SHAFT

AC-ZONE

DYNAMIC FRAME

30T JAPANESE TORAY HM GRAPHITE

T-CURVATE

PRO KEVLAR

NITRO



6000XT

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 35 LBS



7000XT

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : DUO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 35 LBS

DUO-AERO TECHNOLOGY

DUO-FORCE TECHNOLOGY

6.6 EXTRA SLIM
SHAFT

AC-ZONE

30T JAPANESE TORAY
HM GRAPHITE

RAYNO 8



Colour : **WHITE-GOLD**
 Construction : **30T JAPANESE TORAY HM GRAPHITE**
 Frame : **AERO-FORCE FRAME**
 Length : **675 MM**
 Shaft Diameter : **6.6 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **STIFF**
 WEIGHT : **4U [84G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **35 LBS**

Colour : **WHITE-BLUE**
 Construction : **30T JAPANESE TORAY HM GRAPHITE**
 Frame : **AERO-FORCE FRAME**
 Length : **675 MM**
 Shaft Diameter : **6.6 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **STIFF**
 WEIGHT : **4U [84G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **35 LBS**



**AERO-FORCE
FRAME**

NEW GROMMET SYSTEM

T-CURVE

AC-ZONE

30T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

VARNO 6



Colour : WHITE-RED
 Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G2
 Grommet System : 76 HOLES

Colour : WHITE-PINK
 Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 35 LBS

FLEX : STIFF
 WEIGHT : 4U [84G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 35 LBS

AERO
FRAME

NEW GROMMET PATTERN

T-CURVE

AC-ZONE

30T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT



THE BRAND NEW

LITICORIN

lite

SERIES

RACQUET LITE SERIES



UNICORN LITE



Construction : 30T JAPANESE TORAY HM GRAPHITE
Frame : DOUBLE EDGE SWORD
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 5U [78G +/- 2G]
BALANCE POINT : 5U [297MM +/- 5MM]
MAX TENSION : 38 LBS

PRO
KEVLAR

30T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

DOUBLE EDGE
SWORD

T-CURATE

AC-ZONE



VARATAS

 **PROTECH**
CLASSIC PERFORMANCE

VARATAS



V7.6

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [76G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 32 LBS

V7.7

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [77G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 32 LBS

V7.8

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : DIAMOND FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [78G +/- 2G]
 BALANCE POINT : 5U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

6.6 EXTRA SLIM SHAFT

24T JAPANESE TORAY HM GRAPHITE

AC-ZONE

T-CURATE

 AERO-FORCE FRAME

NEW GROMMET SYSTEM

 DIAMOND FRAME

RACQUET
LITE SERIES

VARATAS



V7.9

Construction : 24T JAPANESE TORAY HM GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 5U [79G +/- 2G]
BALANCE POINT : 5U [295MM +/- 3MM]
MAX TENSION : 32 LBS



V8.0

Construction : 24T JAPANESE TORAY HM GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 5U [80G +/- 2G]
BALANCE POINT : 5U [295MM +/- 3MM]
MAX TENSION : 32 LBS

AC-ZONE



AERO-FORCE
FRAME

T-THROAT

NEW GROMMET PATTERN

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT



AIR
LIMITED

THE WORLD LIGHTEST RACKET

PROTECH

RACQUET

LITE SERIES



AIR LITE

LIMITED

Construction : 30T JAPANESE TORAY HM GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 10U [58G +/- 3G]
BALANCE POINT : 10U [355MM +/- 5MM]
MAX TENSION : 32 LBS

 AERO-FORCE
FRAME

30T JAPANESE TORAY
HM GRAPHITE

GRAPHITE FOAM BASE HANDLE

6.7 EXTRA SLIM
SHAFT

BACKHAND BOOST CAP

T-CURRATE

NEW GROMMET PATTERN

AC-ZONE

RAZOR



LITE-I

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [76G +/- 2G]
 BALANCE POINT : 5U [297MM +/- 5MM]
 MAX TENSION : 33 LBS

LITE-L

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [75G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 33 LBS

LITE-U

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [76G +/- 2G]
 BALANCE POINT : 5U [297MM +/- 5MM]
 MAX TENSION : 33 LBS

6.5 ULTRA SLIM SHAFT

30T JAPANESE TORAY HM GRAPHITE

AC-ZONE

AERO-FORCE FRAME

T-CURVATE

NEW GROMMET PATTERN

RACQUET
LITE SERIES

SABERLITE



3

Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.5 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 6U [70G +/- 2G]
BALANCE POINT : 6U [310MM +/- 3MM]
MAX TENSION : 30 LBS

6

Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.5 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : STIFF
WEIGHT : 6U [72G +/- 2G]
BALANCE POINT : 6U [310MM +/- 3MM]
MAX TENSION : 30 LBS

AC-ZONE

AERO-FORCE
FRAME

T-THROAT

NANO EPOTEC
RESIN COMPOSITE

30T JAPANESE TORAY
HM GRAPHITE

6.5 ULTRA SLIM
SHAFT

MAXILITE



ENHANCED DX

Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.4 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 7U [68G +/- 2G]
 BALANCE POINT : 7U [290MM +/- 5MM]
 MAX TENSION : 30 LBS

AC-ZONE	AERO-FORCE FRAME	NANO EPOTEC RESIN COMPOSITE
6.4MM SHAFT	30T JAPANESE TORAY HM GRAPHITE	



POWER-X

Construction : 40T JAPANESE TORAY HM GRAPHITE PROACTIVE FOAM
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.7 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [78G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 30 LBS

40T JAPANESE TORAY HM GRAPHITE	PROACTIVE FOAM CONSTRUCTION	T-THROAT
6.7 EXTRA GLIM SHAFT	AERO-FORCE FRAME	AC-ZONE

MAXILITE



CHAMP

Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 6U [70G +/- 2G]
 BALANCE POINT : 6U [290MM +/- 5MM]
 MAX TENSION : 30 LBS

MASTER


Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 6U [72G +/- 2G]
 BALANCE POINT : 6U [310MM +/- 5MM]
 MAX TENSION : 30 LBS

PRO

Construction : 30T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : SLIM DIAMOND FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 6U [74G +/- 2G]
 BALANCE POINT : 6U [290MM +/- 5MM]
 MAX TENSION : 30 LBS



ODYSSEY



RANGER

Construction : 30T JAPANESE TORAY HM GRAPHITE
 Frame : AERO FRAME
 Length : 675 MM
 Shaft Diameter : 6.5 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [76G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 35 LBS



RIDER

Construction : 30T JAPANESE TORAY HM GRAPHITE
 AND HOT MELT
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.7 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : STIFF
 WEIGHT : 5U [76G +/- 2G]
 BALANCE POINT : 5U [300MM +/- 5MM]
 MAX TENSION : 35 LBS

T-THROAT	6.5 ULTRA SLIM SHAFT	AC-ZONE
AERO FRAME		30T JAPANESE TORAY HM GRAPHITE

NANO EPOTEC RESIN COMPOSITE	6.7 EXTRA SLIM SHAFT	AC-ZONE
30T JAPANESE TORAY HM GRAPHITE	AERO-FORCE FRAME	

RACQUET
LITE SERIES

ULTRALITE



33

Construction : 24T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : AERO FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.7 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 6U [70G +/- 2G]
 BALANCE POINT : 6U [310MM +/- 5MM]
 MAX TENSION : 30 LBS

NANO EPOTEC RESIN COMPOSITE	AERO-FORCE FRAME
6.7 EXTRA SLIM SHAFT	24T JAPANESE TORAY HM GRAPHITE
T-THROTT	

55

Construction : 24T JAPANESE TORAY HM GRAPHITE AND HOT MELT
 Frame : SLIM DIAMOND FRAME
 Length : 675 MM
 Shaft Diameter : 6.7 MM
 Grip Size : G2
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 6U [72G +/- 2G]
 BALANCE POINT : 6U [310MM +/- 5MM]
 MAX TENSION : 30 LBS

NANO EPOTEC RESIN COMPOSITE	DIAMOND FRAME
6.7 EXTRA SLIM SHAFT	24T JAPANESE TORAY HM GRAPHITE
T-THROTT	

 **PROTECH^{XP}**

AERIAL

SERIES



RACQUET
INTERMEDIATE

AERIAL



1000

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 32 LBS

2000

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 32 LBS

3000

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 32 LBS

 AERO-FORCE FRAME

24T JAPANESE TORAY HM GRAPHITE

6.6 EXTRA SLIM SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

AERIAL



5000

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

7000

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

9000

Construction : 24T JAPAN TORAY HI-MODULUS GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

 **PROTECH** XP

XERO

SERIES



XERO



ONE

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

TWO

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

THREE

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

XERO



FOUR

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

FIVE

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

SIX

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [295MM +/- 5MM]
 MAX TENSION : 32 LBS



AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

RS



36

Construction : 24T JAPANESE TORAY HM GRAPHITE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 32 LBS

37

Construction : 24T JAPANESE TORAY HM GRAPHITE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [290MM +/- 5MM]
MAX TENSION : 32 LBS

38

Construction : 24T JAPANESE TORAY HM GRAPHITE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 3U [85G +/- 2G]
BALANCE POINT : 3U [290MM +/- 5MM]
MAX TENSION : 32 LBS

AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURVATE

NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

RS



39

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES


FLEX : REGULAR
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [290MM +/- 5MM]
 MAX TENSION : 32 LBS



40

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

 AERO-FORCE FRAME	24T JAPANESE TORAY HM GRAPHITE	6.6 EXTRA SLIM SHAFT
AC-ZONE	T-CURATE	NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

RS



41


Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

42

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 32 LBS

 AERO-FORCE FRAME	24T JAPANESE TORAY HM GRAPHITE	6.6 EXTRA SLIM SHAFT
AC-ZONE	T-CURATE	NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

RAZOR



01WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [290MM +/- 5MM]
 MAX TENSION : 33 LBS

03WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [82G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 33 LBS

05WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 3U [85G +/- 2G]
 BALANCE POINT : 3U [293MM +/- 5MM]
 MAX TENSION : 33 LBS

AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURRATE

NEW GROMMET PATTERN

RAZOR



07WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [83G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 33 LBS



09WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [83G +/- 2G]
 BALANCE POINT : 4U [290MM +/- 5MM]
 MAX TENSION : 33 LBS



11WN

Construction : 24T JAPANESE TORAY HM GRAPHITE
 Frame : AERO-FORCE FRAME
 Length : 675 MM
 Shaft Diameter : 6.6 MM
 Grip Size : G1
 Grommet System : 76 HOLES

FLEX : REGULAR
 WEIGHT : 4U [81G +/- 2G]
 BALANCE POINT : 4U [295MM +/- 5MM]
 MAX TENSION : 33 LBS



AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

RAZOR



13WN

Construction : 24T JAPAN TORAY
HI-MODULUS GRAPHITE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [81G +/- 2G]
BALANCE POINT : 4U [290MM +/- 5MM]
MAX TENSION : 33 LBS



15WN

Construction : 24T JAPAN TORAY
HI-MODULUS GRAPHITE
Frame : AERO-FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G1
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [293MM +/- 5MM]
MAX TENSION : 33 LBS

 AERO-FORCE
FRAME

24T JAPANESE TORAY
HM GRAPHITE

6.6 EXTRA SLIM
SHAFT

AC-ZONE

T-CURATE

NEW GROMMET PATTERN

RACQUET
INTERMEDIATE

VORTEX



006R

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [81G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 35 LBS



007R

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 35 LBS

AC-ZONE

AERO-FORCE
FRAME

6.7 EXTRA SLIM
SHAFT

NEW GROMMET PATTERN

24T JAPANESE TORAY
HM GRAPHITE

RACQUET
INTERMEDIATE

VORTEX



008R

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [290MM +/- 5MM]
MAX TENSION : 35 LBS

AC-ZONE



AERO-FORCE
FRAME

6.6 EXTRA SLIM
SHAFT

NEW GROMMET PATTERN

24T JAPANESE TORAY
HM GRAPHITE



009R

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.7 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [84G +/- 2G]
BALANCE POINT : 4U [290MM +/- 5MM]
MAX TENSION : 35 LBS

RACQUET
INTERMEDIATE

MAGIC



T1

Construction : **HI-MODULUS GRAPHITE**
 Frame : **DOUBLE EDGE SWORD**
 Length : **675 MM**
 Shaft Diameter : **6.8 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **3U [85G +/- 2G]**
 BALANCE POINT : **3U [290MM +/- 5MM]**
 MAX TENSION : **32 LBS**

T2

Construction : **HI-MODULUS GRAPHITE**
 Frame : **DOUBLE EDGE SWORD**
 Length : **675 MM**
 Shaft Diameter : **6.8 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **4U [81G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **32 LBS**

T3

Construction : **HI-MODULUS GRAPHITE**
 Frame : **DOUBLE EDGE SWORD**
 Length : **675 MM**
 Shaft Diameter : **6.8 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **4U [84G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **32 LBS**

AC-ZONE

DOUBLE EDGE SWORD

6.8 POWER SLIM
SHAFT

T-CURATE

24T JAPANESE TORAY
HM GRAPHITE

RACQUET
INTERMEDIATE

MAGIC



T5

Construction : HI-MODULUS GRAPHITE
Frame : DOUBLE EDGE SWORD
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 32 LBS



T10PLUS

Construction : HI-MODULUS GRAPHITE
Frame : DOUBLE EDGE SWORD
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 32 LBS

ΔC-ZONE

DOUBLE EDGE SWORD

6.8 POWER SLIM
SHAFT

T-CURVATE

24T JAPANESE TORAY
HM GRAPHITE

RACQUET
INTERMEDIATE

ZX



515

Construction : HI-MODULUS GRAPHITE
Frame : SLIM DIAMOND
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [81G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

616

Construction : HI-MODULUS GRAPHITE
Frame : SLIM DIAMOND
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [84G +/- 2G]
BALANCE POINT : 4U [290MM +/- 5MM]
MAX TENSION : 33 LBS

717

Construction : HI-MODULUS GRAPHITE
Frame : SLIM DIAMOND
Length : 675 MM
Shaft Diameter : 6.8 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

AC-ZONE

DIAMOND
FRAME

6.8 POWER SLIM
SHAFT

T-CURATE

24T JAPANESE TORAY
HM GRAPHITE

RACQUET INTERMEDIATE

ZX



818

Construction : **HI-MODULUS GRAPHITE**
 Frame : **SLIM DIAMOND**
 Length : **675 MM**
 Shaft Diameter : **6.8 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **3U [85G +/- 2G]**
 BALANCE POINT : **3U [290MM +/- 5MM]**
 MAX TENSION : **33 LBS**



919

Construction : **HI-MODULUS GRAPHITE**
 Frame : **SLIM DIAMOND**
 Length : **675 MM**
 Shaft Diameter : **6.8 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **4U [83G +/- 2G]**
 BALANCE POINT : **4U [290MM +/- 5MM]**
 MAX TENSION : **33 LBS**

AC-ZONE

DIAMOND
FRAME

6.8 POWER SLIM
SHAFT

T-CURATE

24T JAPANESE TORAY
HM GRAPHITE

RACQUET
INTERMEDIATE

EXODIA



VX1

Construction : **HI-MODULUS GRAPHITE**
 Frame : **AERO FORCE FRAME**
 Length : **675 MM**
 Shaft Diameter : **6.6 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **3U [85G +/- 2G]**
 BALANCE POINT : **3U [290MM +/- 5MM]**
 MAX TENSION : **33 LBS**

VX3

Construction : **HI-MODULUS GRAPHITE**
 Frame : **AERO FORCE FRAME**
 Length : **675 MM**
 Shaft Diameter : **6.6 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **4U [82G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **33 LBS**

VX5

Construction : **HI-MODULUS GRAPHITE**
 Frame : **AERO FORCE FRAME**
 Length : **675 MM**
 Shaft Diameter : **6.6 MM**
 Grip Size : **G2**
 Grommet System : **76 HOLES**

FLEX : **REGULAR**
 WEIGHT : **4U [84G +/- 2G]**
 BALANCE POINT : **4U [295MM +/- 5MM]**
 MAX TENSION : **33 LBS**

AC-ZONE

AERO-FORCE
FRAME

6.6 EXTRA SLIM
SHAFT

T-CURRATE

24T JAPANESE TORAY
HM GRAPHITE

RACQUET
INTERMEDIATE

EXODIA



VX6

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [82G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

AC-ZONE

AERO-FORCE
FRAME

6.6 EXTRA SLIM
SHAFT

T-CURVATE

24T JAPANESE TORAY
HM GRAPHITE



VX7

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [81G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

RACQUET
INTERMEDIATE

EXODIA



VX8

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES

FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

AC-ZONE

AERO-FORCE
FRAME

6.6 EXTRA SLIM
SHAFT

T-CURVATE

24T JAPANESE TORAY
HM GRAPHITE



VX9

Construction : HI-MODULUS GRAPHITE
Frame : AERO FORCE FRAME
Length : 675 MM
Shaft Diameter : 6.6 MM
Grip Size : G2
Grommet System : 76 HOLES


FLEX : REGULAR
WEIGHT : 4U [83G +/- 2G]
BALANCE POINT : 4U [295MM +/- 5MM]
MAX TENSION : 33 LBS

PROTECH XP



SKILLUP

TRAINING RACQUET
MINI



5U
RACQUET
WEIGHT




SKILLUP

RACQUET
ACCESSORIES

02

BADMINTON STRING



PROTECH_{XP}

PROTECH_{XP}

ハイパワーXG63

日本
JAPAN
ジャパ

PROTECH_{XP}

**XG
61**

ハイコントロールXG61
CONTROL

マルチフィラメント製織技術
匠の技が生んだ
究極のパワーと打球音

REPUSSION POWER

TITANIUM

0.61mm
10m / 33feet

JAPAN
MATERIAL



RACQUET ACCESSORIES

-STRING



XG 61Ti

MATERIAL : CORE -

High Polymer Nylon Multifilament

MATERIAL : OUTER -

High Polymer Braided Nylon Fibre

COAT :

Nano Titanium Hydride

LENGTH : 10M (33ft)

GAUGE : 0.61mm

REPULSION POWER



HITTING SOUND



DURABILITY



CONTROL



SHOCK ABSORPTION



XG

STRING SERIES

日本 JAPAN ジャパン

PROTECH X²

ハイパワー XG63

XG POWER

マルチフィラメント製織技術
匠の技が生んだ
究極のパワーと打球音

PROTECH

XG 66

SPIRAL TECHNOLOGY

スパイラルテクノロジー
超薄型クロスエッジ66
職人技が生み出むた
究極の耐久性と打球感

TITANIUM

0.66mm
10m / 33feet

REPUSSION POWER

JAPANESE TECHNOLOGY

FEEL THE TITANIUM POWER

 **PROTECH X²**

RACQUET ACCESSORIES


-STRING

PROFESSIONAL




XG 63Ti

MATERIAL : CORE -
High-Intensity Nylon Multifilament
MATERIAL : OUTER -
High Polymer Braided Nylon Fiber
COAT :
Nano Titanium Hydride
LENGTH : 10M (33ft)
GAUGE : 0.63mm



XG 66Ti

MATERIAL : CORE -
High Polymer Nylon Multifilament
MATERIAL : OUTER -
Special Braided High Polymer Nylon
COAT :
Titanium Hydride
LENGTH : 10M (33ft)
GAUGE : 0.66mm





 **PROTECH** XP

RACQUET ACCESSORIES

-STRING

PROFESSIONAL



XP 66 Plus

MATERIAL : CORE -



Special Advance Microfilament

MATERIAL : OUTER -

Special Braided Extra Synthetic Fiber

LENGTH : 10M/200M (33ft)

GAUGE : 0.66mm



RACQUET ACCESSORIES

-STRING

PROFESSIONAL




XP 68 Plus

MATERIAL : CORE -
Special Advance Microfilament

MATERIAL : OUTER -
Special Braided Extra Synthetic Fiber

LENGTH : 10M (33ft)

GAUGE : 0.68mm




XP 69 Plus

MATERIAL : CORE -
Special Advance Microfilament

MATERIAL : OUTER -
Special Braided Extra Synthetic Fiber

LENGTH : 10M (33ft)

GAUGE : 0.69mm



RACQUET ACCESSORIES

-STRING

ADVANCE




CROSS EDGE 68

MATERIAL : CORE -
Special Synthetic Microfilament

MATERIAL : OUTER -
Special Braided Synthetic Fiber

LENGTH : 10 (33ft)

GAUGE : 0.68mm




CROSS EDGE 70

MATERIAL : CORE -
Special Synthetic Microfilament

MATERIAL : OUTER -
Special Braided Synthetic Fiber

LENGTH : 10 (33ft)

GAUGE : 0.70mm



RACQUET ACCESSORIES

-STRING

INTERMEDIATE




SIGNATURE 66 PLUS

MATERIAL : CORE -
Special High-Intensity Nylon Multifilament

MATERIAL : OUTER -
Special Braided Synthetic Fiber

LENGTH : 10 (33ft)

GAUGE : 0.66mm




MAXIMA 66 BOOST

MATERIAL : CORE -
High-Intensity Synthetic Multifilament

MATERIAL : OUTER -
Special Braided Synthetic Fiber

LENGTH : 10 (33ft)

GAUGE : 0.66mm



RACQUET ACCESSORIES

-GRIP



HS PU GRIP

Width : 24mm
Length : 1115mm
Thickness : 1.7mm
Material : Polyurethane

TACK	10
DURABLE	9
ABSORBENT	8
CUSHION	10



TOWEL GRIP

Width : 30mm
Length : 700mm
Thickness : 1.4mm
Material : 100% Cotton

TACK	7
DURABLE	9
ABSORBENT	11
CUSHION	8

RACQUET ACCESSORIES

-GRIP



ABSOLUTE PRIME

Width : 25mm
Length : 1100mm
Thickness : 0.6mm
Material : Polyurethane

TACK	11
DURABLE	8
ABSORBENT	8
CUSHION	10



ABSOLUTE SOFT

Width : 25mm
Length : 1100mm
Thickness : 0.6mm
Material : Polyurethane

TACK	10
DURABLE	10
ABSORBENT	7
CUSHION	8

RACQUET ACCESSORIES

-OTHER



ABSOLUTE NATURAL

Width : 25mm
Length : 1100mm
Thickness : 0.75mm
Material : Polyurethane

TACK	8
DURABLE	8
ABSORBENT	8
CUSHION	10



ABSOLUTE TOUCH

Width : 25mm
Length : 1100mm
Thickness : 0.7mm
Material : Polyurethane

TACK	7
DURABLE	9
ABSORBENT	10
CUSHION	9

RACQUET ACCESSORIES -OTHER



Rubber Ring



Cushion Wrap



Professional Stencil Ink



SOLVENT BASED



QUICK DRY



EASY
DRAWING



Professional Grip Powder



SWEAT ABSORPTION



SECURE GRIP



LONG LIFESPAN



ENHANCE RACQUET
CONTROL

STRINGING MACHINE

03

STRINGING MACHINE

ACCURATE 100

Badminton stringing machine

Pull Speed :	3 speeds
Tension Range :	10-50lbs
Pre-Stretch:	5-10%



FEATURES



PRECISE: CLAMP | BRAKE SYSTEM

Enhanced clamp was designed to allow stringer to clamp close to the racquet frame during stringing and keep the tension was pulled by tension head maximumly.

Brake system increase the accuracy of tension on the pulled string.



USER FRIENDLY : CONTROL PANEL

Fully optimised control panel for maximum effecency. The control panel is designed with 0.1lb Digital Tension LCD Display that shows KG & LB simultaneously, large buttons for easy accessibility and improves accuracy.



EFFICIENT: RACQUET FRAME SUPPORT

Lower racquet's position and a compact adjustable combine to allow for smoother stringing and improve gripping on the clamps results in less damage to the string.

SHUTTLECOCK

04

 **PROTECH**



SHUTTLECOCK
PROFESSIONAL



PREMIER Edition

Flight Stability :		10
Durability :		10
Hitting Feel :		10
Outlook :		10

Feather : Top Premium Goose Feather

Cork : Natural Portuguese Cork

Speed : 76-78

BWF International Tournament

NO.1
IN MALAYSIA



PLATINUM EDITION

M A D E F O R C H A M P I O N



PLATINUM Edition

Flight Stability :		9
Durability :		9
Hitting Feel :		10
Outlook :		10

Feather : Premium Goose Feather

Cork : Natural Portuguese Cork

Speed : 76-78

BWF International Tournament



***BEYOND
THE LIMIT***




***WORLD
CLASS
EDITION***
SHUTTLECOCK



SHUTTLECOCK PROFESSIONAL



WORLD CLASS Edition




Feather : Premium Goose Feather

Cork : Natural Portuguese Cork

Speed : 76-78

MASTERPIECE Edition



Feather : Selected Goose Feather

Cork : Natural Portuguese Cork

Speed : 76-78

SHUTTLECOCK ADVANCE



CHAMPIONSHIP New Edition

Flight Stability :		10
Durability :		10
Hitting Feel :		10
Outlook :		10

Feather : Selected Goose Feather

Cork : Natural Portuguese Cork

Speed : 76-78

TOURNAMENT New Edition

Flight Stability :		9
Durability :		9
Hitting Feel :		9
Outlook :		9


Feather : Selected Feather

Cork : Natural Compress Cork with PBA

Speed : 76-78




MAXIMA New Edition



Feather : Bleached Black Goose Feather
Cork : Natural Compress Cork with PBA
Speed : 76-78

ULTIMUM New Edition



Feather : Premium Selected Duck Feather
Cork : Natural Compress Cork with PBA
Speed : 76-78

SHUTTLECOCK INTERMEDIATE



PERFORMANCE 5 New Edition

Flight Stability :		9
Durability :		9
Hitting Feel :		9
Outlook :		10

Feather : Premium Selected Duck Feather

Cork : Natural Compress Cork with PBA

Speed : 76-78



TECH 200 New Edition

Flight Stability :		8
Durability :		9
Hitting Feel :		8
Outlook :		9

Feather : Duck Feather

Cork : Natural Compress Cork with PBA

Speed : 76-78



ABSOLUTE ORANGE

New Edition

Flight Stability :		8
Durability :		8
Hitting Feel :		8
Outlook :		8

Feather : Goose Feather

Cork : Compressed Portuguese Cork

Speed : 76-78

SHUTTLECOCK BEGINNER



OFFICIAL New Edition

Flight Stability :		8
Durability :		7
Hitting Feel :		7
Outlook :		8

Feather : Duck Feather

Cork : Natural Compress Cork with PBA

Speed : 76-78

NATURAL

S E R I E S

NYLON SHUTTLECOCK



PROTECH®

REACH BEYOND

SHUTTLECOCK NYLON



NATURAL 1000 Nylon Shuttlecocks

Flight Stability :	<div style="width: 80%;"></div>	8
Durability :	<div style="width: 90%;"></div>	9
Hitting Feel :	<div style="width: 80%;"></div>	8
Outlook :	<div style="width: 90%;"></div>	9

Feather : Polypropylene

Cork : Full Natural Cork

Speed : -

Recommendation : Training & Social Play



NATURAL 3000 Nylon Shuttlecocks

Flight Stability :	<div style="width: 90%;"></div>	9
Durability :	<div style="width: 100%;"></div>	10
Hitting Feel :	<div style="width: 100%;"></div>	10
Outlook :	<div style="width: 100%;"></div>	10

Feather : Polypropylene

Cork : Full Natural Cork

Speed : -

Recommendation : Training & Social Play

APPAREL

05



MADE IN GREEN



**THE NEW MADE IN GREEN LABEL
FROM PROTECH IDENTIFIES
TEXTILES AND LEATHER GOODS
TESTED FOR HARMFUL SUBSTANCES
AND PRODUCED SUSTAINABLY IN
ACCORDANCE WITH
OEKO-TEX® GUIDELINES.**

RNZ10088M

MADE IN GREEN



100% SAFE



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

PERFORMANCE
GEAR

RNZ10088M

MADE IN GREEN



100% Sustainable



COOLER MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

RNZ10088M

MADE IN GREEN



100% SAFE



COOLER MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

RNZ10085M

MADE IN GREEN



PERFORMANCE
GEAR



100% SAFE



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

PROTECH^{XF}



PERFORMANCE
GEAR

RNZ10080M

TOURNAMENT SHIRTS



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

PROTECH^{XF}



PERFORMANCE
GEAR

RNZ10080M

TOURNAMENT SHIRTS



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE



TOURNAMENT TEE



RNZ10075M
RNZ10075M
RNZ10075M



COOLING



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

PERFORMANCE
GEAR



APPAREL -TOURNAMENT TEE



RNZ10071

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10072

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL

-TOURNAMENT TEE



RNZ10068

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10065

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10057

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

RNZ30018M

MADE IN GREEN



100% SAFE



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

APPAREL

-TOURNAMENT TEE



RNZ30011

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ30012

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



NEW
« ARRIVAL »



RNZ10089M

TRAINING TEE



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE



NEW
« ARRIVAL »

RNZ10087



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE



RNZ10086

RN210079

T R A I N I N G T E E



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

RN210078

T R A I N I N G T E E



COOLER
MATERIAL




LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

APPAREL

-TRAINING TEE



RNZ10077

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10076

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10073

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL -TRAINING TEE



RNZ10062

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10063

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10034

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL

-TRAINING TEE



RNZ10053

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10056

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10058

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL
-TRAINING TEE



RNZ10067

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ060

**COOL
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



APPAREL

-TRAINING TEE



RNZ10066

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ10064

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



JUNIOR JERSEY



RNZ10081



COOLER MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

4XS-XL





JUNIOR JERSEY



RNZ10082



COOLER MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

4XS-XL



JUNIOR JERSEY



RNZ10083



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

4XS-XL



RN250001

LONG SLEEVE SPORTS T

● BLACK



● DARK BLUE





NEW
« ARRIVAL »

RNZZ20018



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

 **PROTECH** XF



RNZ20019M



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

PROTECH XP



RNZ20019M



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

APPAREL
-POLO TEE



RNZ20013

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ20014

PERFORMANCE
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL
-BOTTOM



NEW AND IMPROVED



RNZ70038

TOURNAMENT SHORTS



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

RNZ70041



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

DRY
GEAR



APPAREL

-BOTTOM



RNZ70049

GOOD GEAR



COOLER MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ70048

GOOD GEAR



COOLER MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL
-BOTTOM



DRY
GEAR

RNZ70025



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ70037

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



PERFORMANCE
GEAR

RNZ70039



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ70042

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

 **PROTECH**^{XF}

RN270051

A R M Y S H O R T S



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL
-BOTTOM



RNZ70050

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ70047

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

RNZ80026



COOLER
MATERIAL



LIGHTWEIGHT



STRETCHABLE



QUICK DRY



BREATHABLE

DRY
GEAR



APPAREL
-BOTTOM



DRY
GEAR

RNZ80021



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ80022

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



DRY
GEAR

RNZ80028



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT



RNZ80030M

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



LIGHTWEIGHT

APPAREL -BOTTOM



RNZ80025

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



SLIM FIT



DURABLE



60% COTTON
40% LYCRA



RNZ90023

DRY
GEAR



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



SLIM FIT



DURABLE



60% COTTON
40% LYCRA

APPAREL
-LEGGING



RNZ90022

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



SLIM FIT



LIGHTWEIGHT



RNZ90032

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



SLIM FIT



LIGHTWEIGHT

 **PROTECH** XF



RNZ70033



SAFETY SHORTS



BREATHABLE



LIGHTWEIGHT



QUICK DRY



STRETCHABLE

APPAREL
-TRACKSUIT



RNZ60018



COOLER
MATERIAL



BREATHABLE



DURABLE



WIND
RESISTANCE



RNZ90033

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



QUICK DRY



STRETCHABLE



SLIM FIT



DURABLE

APPAREL

-HOODIE & JACKET



RNZ60012

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



DURABLE



RNZ60011

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



DURABLE



APPAREL
-HOODIE & JACKET



RNZ60014

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



DURABLE



RNZ60013

**DRY
GEAR**



COOLER
MATERIAL



BREATHABLE



DURABLE



APPAREL

-HOODIE & JACKET



RNZ60016

**DRY
GEAR**



WATER RESISTANT
MATERIAL



WIND
RESISTANCE



DURABLE



FOOTWEAR

06




PROFESSIONAL SHOES



ASTION SHOES

Weight : 460g – 660g (per pairs)
available size from : 35-45



BREATHABLE HALL SYSTEM



AUXILIARY TONGUE BAND



EXTERNAL REAR FOOT FOAM



TPU ANTI-TWIST SUPPORT



PROFESSIONAL OUTSOLE



SHIELD HEEL




PROFESSIONAL SHOES



ASHTON SHOES

Weight : 460g – 660g (per pairs)
available size from : 35-45




BREATHABLE HALL SYSTEM




AUXILIARY TONGUE BAND



EXTERNAL REAR FOOT FOAM



TPU ANTI-TWIST SUPPORT



PROFESSIONAL OUTSOLE



SHIELD HEEL

FOOTWEAR
-SHOES PROFESSIONAL

ACES LIMITED
SHOE



Breathable Hall System
For excellent comfort and breathability



Hexa-Granular Sole Design
Provide more grip and slip resistance



Areo Cushion
Excellent shock absorption throughout game impact



TPU Anti-Twist Stabilizer
Motion control and prevent



Carbon Tablet
Excellent shock absorption throughout



Pro-Active Insole
Provide more grip

Heavy Duty Outsole

 **PROTECH** XP

NEW
« ARRIVAL »

LIGHTNING SPEED



**LIGHTWEIGHT
CUSHIONING**


460g - 610g

per pair

FOOTWEAR
-SHOES **ADVANCED**



PREDATOR SHOES



BREATHABLE HALL
SYSTEM



TPU ANTI-TWIST
STABILIZER



HIGH DENSITY
OUTSOLE




GREAT SHOCK
ANSORPTION

FOOTWEAR
-SHOES **ADVANCED**



PREDATOR SHOES



BREATHABLE HALL
SYSTEM



TPU ANTI-TWIST
STABILIZER



HIGH DENSITY
OUTSOLE



GREAT SHOCK
ANSONPTION

FOOTWEAR -SHOES **ADVANCED**

VARNO SHOE



Breathable Hall System

For excellent comfort and breathability

Slim Fit Design

For excellent comfort and breathability

Lite Cushion Plus +

Improve repulsion, comfort and shock absorbing

Breathable Material

Increase ventilation and provide more comfort for the feet

New Durable Outsole

Provide more grip, slip resistant & stabilize on landing

Pro-Active Insole

Provide more grip

JUNIOR COURT SHOES



MAGIC 100



BREATHABLE



TPU ANTI-TWIST
STABILIZER



HIGH DENSITY
OUTSOLE



GREAT SHOCK
ANSORPTION

JUNIOR COURT SHOES



MAGIC 100



BREATHABLE



TPU ANTI-TWIST
STABILIZER



HIGH DENSITY
OUTSOLE



GREAT SHOCK
ANSORPTION

FOOTWEAR
-SOCKS

ACTIVE 1.0



80% COTTON
15% POLYESTER
5% SPANDEX



BREATHABLE



COMFORT



ABSORPTION



DURABLE



EXTRA CUSHION



FOOTWEAR -SOCKS

PERFORMANCE TOURNAMENT



BREATHABLE



COMFORT



DURABLE



ABSORPTION



EXTRA CUSHION



TOURNAMENT



BREATHABLE



COMFORT



DURABLE



ABSORPTION



FOOTWEAR -SOCKS

QUARTER 201



BREATHABLE



COMFORT



DURABLE



ABSORPTION



QUARTER TOUR



BREATHABLE



COMFORT



DURABLE



ABSORPTION



FOOTWEAR -SOCKS

ANKLE 201



BREATHABLE



COMFORT



DURABLE



ABSORPTION



ANKLE ORIGINAL



BREATHABLE



COMFORT



DURABLE



ABSORPTION



EXTRA CUSHION



FOOTWEAR -INSOLES

PROACTIVE SOCKLINER

-  LIGHTWEIGHT
-  HIGH SHOCK ABSORPTION
-  EXTRA CUSHION
-  QUICK DRY
-  ANTI BACTERIA
-  ECO-FRIENDLY



ACTIVE GEL INSOLES

-  DOUBLE CUSHIONING
-  REDUCE MUSCLE FATIGUE
-  CUSTOMISABLE
-  REDUCE FOOT ODOR



EXTREME GEL INSOLES

-  DOUBLE CUSHIONING
-  REDUCE MUSCLE FATIGUE
-  HIGH PERFORMANCE
-  CUSTOMISABLE
-  REDUCE FOOT ODOR



BAG

07

CHAN PENG SOON LIMITED EDITION BAG



BREAK YOUR LIMIT




LARGE SIDE COMPARTMENT 1



SHOES BAG INCLUDED



LARGE SIDE COMPARTMENT 2



THERMAL RACQUET COMPARTMENT



WATER RESISTANT MATERIAL



HUGE CAPACITY +
PADDED PARTITION

BAG PROFESSIONAL

CHAN PENG SOON
LIMITED EDITION
BAG



4 ZIPPER
COMPARTMENT



THERMAL RACQUET
COMPARTMENT



WATER RESISTANT
MATERIAL



DURABLE NYLON



SHOE BAG
INCLUDED

BAG
PROFESSIONAL

RXG

LIMITED EDITION BAG




3 ZIPPER
COMPARTMENT


DURABLE NYLON


WATER RESISTANT
MATERIAL


THERMAL RACQUET
COMPARTMENT


MULTIPURPOSE
COMPARTMENT


DEDICATED RACQUET
COMPARTMENT

SMART TALL 6.0



MULTIPURPOSE
SIDE COMPARTMENTS



MULTIPURPOSE STORAGE



EXCEPTIONAL FINISH



LAPTOP COMPARTMENT
(UP TO 17")



SHOE BAG & LAUNDRY
BAG WITH SWIVEL HOOK



DEDICATED THERMAL
RACQUET COMPARTMENT

SMART TALL 6.0

Size : L30 x W18 x H73 (cm)

Weight : 2000 gms



SHOE BAG
& LAUNDRY BAG
INCLUDED



5 ZIPPER
COMPARTMENT



DEDICATED THERMAL
RACQUET
COMPARTMENT



DEDICATED LAPTOP
COMPARTMENT



MULTIPURPOSE
COMPARTMENT



WATER RESISTANT
MATERIAL

XTREME

TRAVEL BAG



MADE FOR VICTORY



3 WAY CONVERTABLE



DEDICATED SHOES COMPARTMENT



QUICK SIDE ACCESS



SMART PERSONAL COMPARTMENT



RACQUET STORAGE



LAPTOP COMPARTMENT (UP TO 17")

XTREME TRAVEL
BAG



5 ZIPPER
COMPARTMENT



DEDICATED LAPTOP
COMPARTMENT



WATER RESISTANT
MATERIAL



CONVERTIBLE
STYLE
(3 WAY)




DEDICATED SHOES
COMPARTMENT

BACKPACK

E X C E P T I O N A L



 **PROTECH.** BE EXCEPTIONAL



SMART COMPARTMENTS



EXCEPTIONAL FINISH




RACQUET SUPPORT



LAPTOP COMPARTMENT
(UP TO 16")



CONVERTIBLE



BUCKLED

EXCEPTIONAL
BACKPACK

Size : L31 x W20 x H46 (cm)

Weight : 550 gms



WATER RESISTANT
MATERIAL



6 ZIPPER
COMPARTMENT



RACQUET
HOLDER



DEDICATED
LAPTOP
COMPARTMENT



CONVERTIBLE
STYLE
(3 WAY)

BAG PROFESSIONAL



ULTRA BAG 2.0 LIMITED EDITION

Size : L71 X W21 X H32 (cm)
Weight : 1500 gms



SHOE BAG
& LAUNDRY BAG
INCLUDED



WATER RESISTANT
MATERIAL



3 ZIPPER
COMPARTMENT



DURABLE NYLON



THERMAL RACQUET
COMPARTMENT



MULTIPURPOSE
COMPARTMENT



DEDICATED RACQUET
COMPARTMENT



CLASSIC BAG
2.0

Size : L71 X W21 X H32 (cm)

Weight : 1500 gms



WATER RESISTANT
MATERIAL



3 ZIPPER
COMPARTMENT



DURABLE NYLON



THERMAL RACQUET
COMPARTMENT



MULTIPURPOSE
COMPARTMENT



DEDICATED RACQUET
COMPARTMENT

BAG
INTERMEDIATE



**CRAZEE 5
PLUS BAG**

Size : L75 x W10 x H31 (cm)
Weight : 425 gms



THERMAL RACQUET
COMPARTMENT



2 ZIPPER
COMPARTMENT



DEDICATED RACQUET
COMPARTMENT



DURABLE CANVAS



MULTIPURPOSE
COMPARTMENT



CRAZEE 5 BAG

Size : L75 x W10 x H31 (cm)
Weight : 425 gms



THERMAL RACQUET
COMPARTMENT



1 ZIPPER
COMPARTMENT



DURABLE CANVAS



MULTIPURPOSE
COMPARTMENT

BAG
INTERMEDIATE



**E24 3
PLUS BAG**

Size : L75 x W10 x H31 (cm)
Weight : 630 gms



THERMAL RACQUET
COMPARTMENT



2 ZIPPER
COMPARTMENT



DEDICATED RACQUET
COMPARTMENT



DURABLE CANVAS



MULTIPURPOSE
COMPARTMENT



E24 3 BAG

Size : L75 x W10 x H31 (cm)
Weight : 425 gms



THERMAL RACQUET
COMPARTMENT



1 ZIPPER
COMPARTMENT



DURABLE CANVAS



MULTIPURPOSE
COMPARTMENT

BAG
INTERMEDIATE



NEXO ARM4

BAG 4.0

Size : L30 x W15 x H50 (cm)

Weight : 550 gms



WATER RESISTANT
MATERIAL



3 ZIPPER
COMPARTMENT



DURABLE NYLON

BAG INTERMEDIATE



HEXA BAG

Size : L75 x W24 x H26 (cm)
Weight : 710 gms



DURABLE CANVAS



2 ZIPPER
COMPARTMENT



WATER RESISTANT
MATERIAL



DEDICATED RACQUET
COMPARTMENT



MULTIPURPOSE
COMPARTMENT



CROSS SERIES BAG

Size : L75 x W24 x H26 (cm)
Weight : 710 gms



DURABLE CANVAS



2 ZIPPER
COMPARTMENT



WATER RESISTANT
MATERIAL



DEDICATED RACQUET
COMPARTMENT







MULTIPURPOSE
COMPARTMENT

BAG INTERMEDIATE







BX200

-  WATER RESISTANT MATERIAL
-  DURABLE NYLON
-  1 ZIPPER COMPARTMENT
-  THERMAL RACQUET COMPARTMENT



BX100

-  WATER RESISTANT MATERIAL
-  DURABLE NYLON
-  1 ZIPPER COMPARTMENT
-  THERMAL RACQUET COMPARTMENT



BAG
INTERMEDIATE



SLING BAG
THERMAL



WATER RESISTANT
MATERIAL



DURABLE



1 ZIPPER
COMPARTMENT



THERMAL RACQUET
COMPARTMENT



PVC BAG



1 ZIPPER
COMPARTMENT



DURABLE

BAG INTERMEDIATE



SHOES BAG PRESTIGE 3/0



DEDICATED SHOES
COMPARTMENT



1 ZIPPER
COMPARTMENT




DURABLE NYLON



DRAWSTRING SHOE BAG



DURABLE NYLON



ACCESSORIES



ACCESSORIES SUPPORT



Xtreme Ankle Support

- IMPROVE BLOOD CIRCULATION
- EXTRA COMFORT
- FIRM SUPPORT
- ANTI-SLIP
- OPTIMAL COMPRESSION

Xtreme Elbow Support

- IMPROVE BLOOD CIRCULATION
- EXTRA COMFORT
- FIRM SUPPORT
- ANTI-SLIP
- OPTIMAL COMPRESSION



Xtreme Knee Support

- IMPROVE BLOOD CIRCULATION
- EXTRA COMFORT
- FIRM SUPPORT
- ANTI-SLIP
- OPTIMAL COMPRESSION

Xtreme Wrist Support

- IMPROVE BLOOD CIRCULATION
- EXTRA COMFORT
- FIRM SUPPORT
- ANTI-SLIP
- OPTIMAL COMPRESSION

ACCESSORIES SUPPORT



Neoprene Knee Support

- 
IMPROVE BLOOD CIRCULATION
- 
BETTER COMFORT
- 
REINFORCED PATELLA STABILIZER
- 
EXTRA PROTECTION
- 
ADJUSTABLE COMPRESSION



Knee Support

- 
IMPROVE BLOOD CIRCULATION
- 
ELASTIC SLEEVE
- 
BREATHABLE
- 
ANTI-SLIP

ACCESSORIES

SUPPORT



Compression Ankle Support

Combines unbeatable support with comfort.
Easily fits inside of shoes.
Equally distributes pressure.
Improves circulation.
Sheer and stretchy fabric provides firm support.

1 pair / per box

Compression Calf Support

Extra fit & comfort.
Stimulate blood flow.
Reduced lower legs fatigue.
Include silver ions to help eliminate odors.

1 pair / per box



Compression Knee Guard

Lightweight.
Breathable material.
Prevents swelling.
Wicks away moisture.

1 pcs/ per box



Premium Knee Support

Anatomical Design
Medical-Grade Guard
Material : High Quality Neoprene Rubber
Suitable for both sporting and everyday use.
Lightweight.
Breathable material.
Prevents swelling.
Wicks a way moisture.

Size : S, M, L & XL
1pcs per box



Premium Ankle Support

Material : High Quality Neoprene Rubber
Suitable for both sporting and everyday use.
Combines unbeatable support with comfort.
Easily fits inside of shoes.
Equally distributes pressure.
Improves circulation.
Sheer and stretchy fabric provides firm support.

Size : S, M & L
1pcs per box

ACCESSORIES SUPPORT



Ankle Support

Warming effects on muscles and joints increase flexibility to help prevent sporting injuries. Warmth which increases blood circulation to the injured area thus promoting natural healing and comfort. Suitable for both sporting and everyday use.


Size - Adjustable
1 pcs / per box



Palm Support

Warming effects on muscles and joints increase flexibility to help prevent sporting injuries. Warmth which increases blood circulation to the injured area thus promoting natural healing and comfort. Suitable for both sporting and everyday use.

Size - Adjustable
1 pcs / per box



Elbow Support

Warming effects on muscles and joints increase flexibility to help prevent sporting injuries. Suitable for both sporting and everyday use.

Size - Adjustable
1 pcs / per box

ACCESSORIES EQUIPMENT



100cm x 60cm

Xtreme Sports Towel



HIGH ABSORPTION



LIGHTWEIGHT



ANTI BACTERIA



QUICK DRY



100% COTTON



Premium Face Towel

Convenience small face towel
Excellent absorption.
Size: 70 x 34cm
100% Cotton



Face Towel

Convenience small face towel
Excellent absorption.
Size: 60 x 30cm
100% Cotton

ACCESSORIES EQUIPMENT



Premium Wristband

Suitable for outdoor sports in all seasons
Highly absorbent for maximum comfort
Absorbs sweat effectively to keep your eyes sweat free
Soft and comfortable, durable and Lightweight
Easy and convenient to pull over

Size : 10cm x 8cm



Sports Wristband

Suitable for outdoor sports in all seasons
Highly absorbent for maximum comfort
Absorbs sweat effectively to keep your eyes sweat free
Soft and comfortable, durable and Lightweight
Easy and convenient to pull over

Size : 7.5cm x 8cm



Sports Headband

One size fits all.

Material : Cotton (69%) + Nylon (26%) + Rubber (5%)



Foam Hand Grip

Rubber Foam Grip not easily slip off when working out.

Durable string

Comfortable and easy to use.

Strengthening your wrist muscles

Making hand and finger muscles stronger

Stress buster



Speed Rope

High-speed rotating.

Suitable for indoor and outdoor.

PVC

10 feet

ACCESSORIES EQUIPMENT



Net Smart

Badminton net for tournament and social games.



Net Pro-BN900

Official Badminton Net for Macau Open Part of BWF World Tour Super 300

BWF CERTIFIED COURT MAT





SAND



Thickness (mm) : 3.9



available badminton courts mat colours




Length of Roll: 16m



Width of Roll: 1.6m

One badminton court : 3 rolls (2.7m x 16m) 129.6sqm



Water-soluble polymer material, more environmentally friendly and safer.



The surface layer blocks the penetration of residual pollutants, and the anti-pollution performance reaches level 0 (the highest).




Super wear resistant surface treatment, no scratch after rotary wear.



Skid resistance BPN20 degrees.

BADMINTON COURT MAT



SAND




Thickness (mm) : 4.5/5.0/6.0/7.2

GEM



Thickness (mm) : 4.5/6.0


LYCHEE




Thickness (mm) : 4.5



GREEN



RED



BLUE


available badminton courts mat colours



High-impact resistant wear layer,
Super wear resistance and durability



Fiberglass mesh Sable Layer




PVC Strengthen layer - greatest wear resistance and durability



High density foam butter layer -
Comfortable elasticity and shock resistance



High density bottom layer holds tightly to the ground,
Non-slip mouldproof Anti water layer




Length of Roll: 15m



Width of Roll:
15m

One badminton court : 4 rolls (1.8m x 15m) 108sqm



WATER-BASED

Water-soluble polymer material,
more environmentally friendly and safer.



ANTI-FOULING

The surface layer blocks the penetration of residual
pollutants, and the anti-pollution performance
reaches level 0 (the highest).



ANTI-SLIDE


Super wear resistant surface treatment,
no scratch after rotary wear.



WEAR-RESISTANT

Skid resistance BPN20 degrees.

PORTABLE BADMINTON POST





Bearing Groove Sliding
Rover Track Wheel

Puller Badminton Post Cable
Net Lock

Non-slip Nylon Wheel

Detachable Badminton
Post

FLOOR MOUNT BADMINTON POST




Bearing Groove Sliding
Rover Track Wheel



Wall Plug Screw



Puller Badminton Post Cable
Net Lock



Floor Support Bracket

ACCESSORIES
EQUIPMENT



BADMINTON UMPIRE CHAIR DELUXE

SPONSORSHIP

09

SPONSORSHIP




CHAN PENG SOON

Malaysian Mixed Doubles Player



- Commonwealth Games Champion 🏆
- Asian Championships 🏆
- Thailand Masters 🏆
- U.S Open 🏆
- New Zealand Open 🏆
- Japan Open 🏆
- Highest World Rank : No. 3


		XG66Ti
		ASTON SHOE
		CHAN PENG SOON LE BAG
ASTON PRO		



SPONSORSHIP



**CHEAH
YEE SEE**
Malaysian Mixed Doubles Player

 Commonwealth Game
Highest World Rank : No. 17




A large, stylized handwritten signature in black ink, which appears to be 'Cheah Yee See' in cursive, followed by the Chinese characters '茜' and '怡'.



VIVIAN HOO

Malaysian Women's Doubles Player

Commonwealth Game 

Highest World Rank : No. 9



		XP66 PLUS
		ASTON SHOE
		ULTRA 2.0 LE
		LEGACY 319VH



SPONSORSHIP



**LIM
CHIEW SIEN**
Malaysian Women's Doubles Player

🏆 India International Series

Highest World Rank : No. 34



SPONSORSHIP



ROSLIN HASHIM

Malaysian Men's Singles Player

Former World NO 1

Southeast Asian Games 🏆

Swiss Open 🏆

Japan Open 🏆

Vietnam Open 🏆



Roslin Hashim



SPONSORSHIP



NG ENG CHEONG

Malaysian Men's Doubles Player

World Ranking 45

Slovenia Open 🏆

Austrian Open 🏆

Mongolia International 🏆



SPONSORSHIP



LOW HANG YEE

Malaysian Men's Doubles Player



World Ranking 45



Slovenia Open



Austrian Open



Mongolia International



SPONSORSHIP



YEOH
SENG ZOE
Malaysian Men's Single Player

Austrian Open 🏆



MAVERICK ALPHA





XP 69 PLUS



SMART TOUR




MACH SHOES




WONG
TIEN CI
Malaysian Men's Doubles Player


Slovak Open 🏆
Uganda International 🏆




BATTLEAX S





XP 69 PLUS




SMART TOUR




MACH SHOES




KAN
KAH KIT
Malaysian Men's Single Player




BATTLEAX S-PRO



XG66Ti



ULTRA BAG 2.0 LE



ACES LIMITED



LIM
CHI WING
Malaysian Men's Single Player



MEVERICK ALPHA



XP 69 PLUS



SMART TOUR



MACH SHOES



BE EXCEPTIONAL